

## Buy Ringlock System Scaffolding with Max Height $\leq 30\text{m}$ and EN12810 EN12811 Standard

Our Product Introduction

for more products please visit us on [bythaiscaffold.com](http://bythaiscaffold.com)

### Basic Information

- Place of Origin: China
- Brand Name: Bythai
- Model Number: BT03



### Product Specification

- Max Height:  $\leq 30\text{m}$
- Vertical Load Capacity:  $\geq 45\text{KN}$
- Standard: EN12810 & EN12811
- Warranty: 2 Years
- Material: Q235 Steel
- Safety Factor:  $\geq 4$
- Size: 48.3mm
- Horizontal Load Capacity:  $\geq 15\text{KN}$

## Product Description

### Product Description:

The Ringlock System Scaffolding is a high-strength multi-purpose scaffold, designed for safe and efficient construction and industrial operations. It is compliant with EN12810 and EN12811 standards and has a horizontal load capacity of  $\geq 15\text{KN}$  and weight of  $\leq 30\text{kg/m}^2$ . The Ringlock System Scaffolding is composed of components such as vertical, horizontal, diagonal, brace, base plate, ladder, etc. It also features a horizontal adjustment of  $\leq \pm 3^\circ$ , ensuring the stability and accuracy of the scaffolding structure. With its superior load capacity, light weight, and easy assembly, the Ringlock System Scaffolding is the preferred choice for industrial and construction sites.

### Technical Parameters:

Parameters	Specifications
Vertical Load Capacity	$\geq 45\text{KN}$
Vertical Adjustment	$\leq \pm 3^\circ$
Joints	Double-locking
Horizontal Adjustment	$\leq \pm 3^\circ$
Weight	$\leq 30\text{kg/m}^2$
Size	48.3mm
Surface Treatment	Hot-dip Galvanized
Max Height	$\leq 30\text{m}$
Horizontal Load Capacity	$\geq 15\text{KN}$
Safety Factor	$\geq 4$

### Applications:

The Bythai Ringlock System Scaffolding – High Quality Construction Solutions

The Bythai Ringlock System Scaffolding provides an efficient and reliable solution for construction projects, ensuring high quality and safety for any project. This system is designed with high-grade Q235 steel and is perfect for vertical, horizontal, diagonal, brace, base plate, ladder, and other components. With a maximum vertical adjustment of  $\pm 3^\circ$  and a maximum weight of  $30\text{kg/m}^2$ , the Bythai BT03 Ringlock System Scaffolding is an ideal choice for any construction project. Additionally, the system features an impressive horizontal load capacity of  $15\text{KN}$ .

Bythai's Ringlock System Scaffolding is the perfect choice for any construction project. With its high quality materials and impressive load capacity, the Bythai BT03 Ringlock System Scaffolding will ensure reliable and safe construction solutions for any project.

### Customization:

Custom Service for Ringlock System Scaffolding by Bythai (BT03)

Bythai Ringlock System Scaffolding (Model Number: BT03) is a perfect solution for your construction project. It is made of high-quality Q235 steel and hot-dip galvanized for maximum durability and corrosion resistance. It is certified to EN12810 & EN12811 standards and comes with a 2-year warranty. This system scaffolding is designed to be assembled quickly and easily, and can be used to a max height of  $\leq 30\text{m}$ .

Choose Bythai's Ringlock System Scaffolding for your next project and enjoy the benefits of a reliable and safe scaffolding system. With our custom service, you can enjoy a personalized Ringlock andamios, Scaffolding Ringlock, and Ringlock System Scaffolding tailored to your exact needs.

### Packing and Shipping:

Ringlock System Scaffolding Packaging and Shipping

The Ringlock System Scaffolding is securely packed in a carton box, with thick and durable packaging material to protect the product from external shocks and damage. The package also includes a detailed product manual, with instructions for assembling and using the product.

The product is then shipped via a reliable courier service, ensuring that the product will arrive in perfect condition.

### FAQ:

Q: What is the brand name of the Ringlock System Scaffolding?

A: The brand name of the Ringlock System Scaffolding is Bythai.

Q: What is the model number of the Ringlock System Scaffolding?

A: The model number of the Ringlock System Scaffolding is BT03.

Q: Where is the Ringlock System Scaffolding made?

A: The Ringlock System Scaffolding is made in China.

Q: What are the features of the Ringlock System Scaffolding?

A: The Ringlock System Scaffolding has a strong and reliable structure, is quick and easy to install, and is corrosion-resistant.

Q: What is the weight capacity of the Ringlock System Scaffolding?

A: The weight capacity of the Ringlock System Scaffolding is up to 8 tons.



**Bythai Scaffolding Co.,Ltd**



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China