Scafold / Ladder Frame Aluminium Scaffolding Ladder Mobile

Basic Information

BY THAI

• Place of Origin: China • Brand Name: bythai • Certification: SGS ISO Model Number: BT209 • Minimum Order Quantity: 1000 • Price: 4.5-8.5 • Packaging Details: container • Delivery Time: 10-15 • Payment Terms: L/C, T/T

Bythai Scaffolding Co.,Ltd

bythaiscaffold.com



Product Specification

 Warranty: 	1 Year
 Safety Features: 	Guardrail, Toeboard, Ladder
 Stability: 	High
• Usage:	Indoor/Outdoor
Flexibility:	High
 Surface Treatment: 	Hot Dip Galvanized
 Shipping Origin: 	China
• Durability:	High
 Material: 	Steel
 Safety: 	High
Easy Dismantling:	Yes
• Size:	1219/1829/1930



• Highlight:

Mobile Aluminium Scaffolding Ladder, W 1350MM Aluminium Scaffolding Ladder, Aluminum 6061 T6 Frame System Scaffolding

More Images



Product Description

Scafold/Ladder Frame Factory Wholesale Aluminium Ladder Scaffolding/Mobile

Features:

Sturdy and stable: Made of high-quality steel or aluminum alloy, the structural design is precisely calculated to ensure stability and reliability, and can safely support workers and work equipment.

Flexible and changeable: The height and width can be adjusted to adapt to different construction environments and needs, and a variety of construction solutions are provided to meet the requirements of various construction projects.

Quick installation: The structure is simple, and assembly is quick and easy. No professional skills are required, which reduces the construction time and improves work efficiency.

Durable and anti-corrosion: The surface has been specially treated to have excellent corrosion resistance and can be used for a long time in harsh environments without failure.

Safety guarantee: It is equipped with anti-slip and anti-fall facilities and solid guardrails to ensure the safety of workers when working at heights and meets strict safety standards.

Scope of application:

Building construction: used for the construction, decoration, maintenance and other work of large buildings.

Urban maintenance: Suitable for maintenance and repair of public facilities such as bridges and overpasses.

Industrial equipment: used for the installation, inspection and maintenance of high-altitude equipment.

Brand Name	bythai
Place of Origin	tianjin, China
Width	750MM,1350MM,or Customized
Length	2M,2.5M,3M,or Customized
Frame Height	2M per layer,or Customized
Frame Rung	4,5,6,or Customized
Platform Height	2M,4M,6M,8M,10M,12M,14M,etc
Material Standard	Aluminum 6061-T6





No. 605, Industrail Exchange Center , Huanghua Town Changsha Hunan China